

	Type	L #	Hits	Search Text	DBs
1	BRS	L4	3445	(Mn or Ni) with ferrite	USPAT
2	BRS	L5	608	L4 same core same magnetic	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB
3	BRS	L6	13	5 and antenna	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB
4	BRS	L7	30593 1	(core or rod) same (cavity or recess)	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB

	Type	L #	Hits	Search Text	DBs
5	BRS	L8	40	L7 and (343/787 or 343/788).ccls.	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB
6	BRS	L9	348	(343/787).ccls.	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB
7	BRS	L10	351	(343/788).ccls.	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB

	Type	L #	Hits	Search Text	DBs
8	BRS	L11	22926 1	(core or rod) same (magnetic)	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB
9	BRS	L12	10053 3	11 same coil	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB
10	BRS	L13	1729	12 same antenna	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB

	Type	L #	Hits	Search Text	DBs
11	BRS	L14	455	12 and "343"/\$.ccls.	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB